

## Pressing tool PZ 16

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



### Crimping tools for wire end ferrules, with and without plastic collars

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

### General ordering data

Type	PZ 16
Order No.	<a href="#">9012600000</a>
Version	Pressing tool, Crimping tool for wire-end ferrules, 6mm <sup>2</sup> , 16mm <sup>2</sup> , Indent crimp
GTIN (EAN)	4008 190035440
Qty.	1 Stück

## Pressing tool PZ 16

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technische Daten

### Dimensions and weights

Width	200 mm	Width (inches)	7,874 inch
Weight	418 g	Net weight	429,8 g

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

### Technical data

Version	Mechanical, without interchangeable inserts
---------	---

### Description of contact

Type of contact	Wire-end ferrules with/without plastic collars	Crimping range, min.	6 mm <sup>2</sup>
Crimping range, max.	16 mm <sup>2</sup>	Conductor cross-section, max. AWG	AWG 6
Conductor cross-section, min. AWG	AWG 10		

### tool data crimping

Crimping profile 1, min.	6 mm <sup>2</sup>	Crimping type/profile	Indent crimp
Wire end ferrules cross-section, min.	6 mm <sup>2</sup>	Wire end ferrules cross-section, max.	16 mm <sup>2</sup>
Crimping profile 2, min.	10 mm <sup>2</sup>	Crimping profile 3, min.	16 mm <sup>2</sup>

### Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
eClass 9.0	21-04-38-11	eClass 9.1	21-04-38-11
eClass 10.0	21-04-38-11	UNSPSC	31-16-31-02

### Approvals

Approvals



### Downloads

Brochure/Catalogue	<a href="#">CAT 6 TOOLS 15/16 EN</a>
Engineering Data	<a href="#">WSCAD</a>
Engineering Data	<a href="#">STEP</a>

**Datenblatt**

**Pressing tool  
PZ 16**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Zeichnungen**

