

**Testing tools
VT MASTER**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The main function of the voltage tester is to establish if voltage is present. A 2-pole voltage tester is the only approved testing instrument that fulfils the requirements of work protection regulations.

- with LED-Display
- acc. to VDE standard
- high peak voltage strength
- the right tester for every application

General ordering data

Type	VT MASTER
Order No.	9918880000
Version	2-pole voltage tester type 1157, Yes - visual + acoustic
GTIN (EAN)	4032248405763
Qty.	1 Stück

Testing tools VT MASTER

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technische Daten

Dimensions and weights

Width	235 mm	Width (inches)	9,252 inch
Height	28 mm	Height (inches)	1,102 inch
Depth	60 mm	Depth (inches)	2,362 inch
Weight	181 g	Net weight	272 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Measuring and testing devices

AC voltage display	12, 24, 50, 120, 230, 400, 690 V	AC voltage measuring range	12-690 V
Battery type	1.5 V type AAA battery	Continuity test	Yes - visual + acoustic
DC voltage display	12, 24, 50, 120, 230, 400, 690 V	DC voltage measuring range	690 V
Display	LED	Frequency range, max.	65 Hz
Frequency range, min.	0 Hz	Insulation test	6 kV
Measuring range category	CAT III 600 V	Peak voltage resistance	6 kV
Protection degree	IP54	Rated voltage, max.	690 V AC/DC
Rated voltage, min.	12 V	Tested and approved according to	IEC 61243-3:2014 (DIN EN 61243-3:2015-08)
Working temperature, max.	55 °C	Working temperature, min.	-15 °C

Classifications

ETIM 6.0	EC000494	ETIM 7.0	EC000494
eClass 9.0	27-20-03-08	eClass 9.1	27-20-03-08
eClass 10.0	27-20-03-08	UNSPSC	41-11-36-37

Approvals

Approvals



ROHS Conform

Downloads

Approval/Certificate/Document of Conformity	9918860000_DECLARATION_OF_CONFORMITY.pdf
Brochure/Catalogue	CAT 6 TOOLS 15/16 EN
Product Change Notification	PCN-PW641110-20180410-00-A EN PCN-PW641110-20180410-00-A DE
User Documentation	BANL_manual 2pol Tester