



[Home](#) > [Electrical](#) > [Products](#) > [Crimping](#) > [Mechanical crimping tools](#) > [Mechanical crimping tools with interchangeable dies](#) > [K 22 Crimping tool for interchangeable dies 6 - 300 mm²](#)

Mechanical crimping tools with interchangeable dies

2 K 22 Crimping tool for interchangeable dies 6 - 300 mm²



- **Change of crimping dies without tools**
- **Optimised for cable glands and control cabinet construction**
- **Energy-efficient and low maintenance mechanical drive**

Characteristics



































- Narrow crimping
- Large cross section by half shell dies
- Less effort due to extendible telescopic handle
- Flip top style head rotates 360°
- Fast change of crimping die without readjustment by special fixing system













[Article](#) [Technical Data](#) [Dies](#) [Accessories](#)

Article	Part No.
Crimping tool for interchangeable dies 6 - 300 mm ²	K22

Length	Stepless 560 - 860 mm
Weight	2.5 kg

Suitable for	Connection material	Crimping range mm ²	Crimp profile

Suitable for	Connection material	Crimping range mm ²	Crimp profile
Copper tubular cable lugs and connectors			
Tubular cable lugs and connectors blue connection for compacted conductors acc. to DIN EN 60228		6 - 300	 Crimping dies, blue connection@ B 22
Tubular cable lugs and connectors, standard type, tubular cable lugs for switchgear connections		6 - 300	 Crimping dies R 22
Insulated cable lugs and compression joints, standard type, insulated pin terminals		10 - 150	 Crimping dies IS 22
Tubular cable lugs and connectors for fine stranded conductors		10 - 70	 Crimping dies F 22
Tubular cable lugs and connectors for solid conductors		1,5 - 16	 Crimping dies M 22
Tubular cable lugs and connectors, Ni, VA			
Stainless steel tubular cable lugs and connectors		10 - 50	 Crimping dies N 22
Nickel tubular cable lugs and connectors		10 - 50	 Presseinsätze N 22
Copper compression cable lugs and connectors to DIN			
Copper compression cable lugs (DIN 46235) and connectors (DIN 46267, part 1) acc. to DIN		6 - 300	 Crimping dies D 22
Double compression cable lugs		2 x 50 - 2 x 70	 Crimping dies DP 22
Terminals, connectors and pin terminals acc. to DIN, copper			
Solderless terminals (DIN 46234), connectors and pin terminals (DIN 46230) acc. to DIN		10 - 70	 Crimping dies Q 22
Insulated solderless terminals and connectors		10 - 70	 Crimping dies ISO 22
Sleeves for compacted conductors and sector-shaped conductors, copper			
Pre-rounding dies for sector-shaped Al and Cu conductors		10 sm - 300 se / 240 sm	 Crimping dies RU 22
Aluminium compression cable lugs and connectors to DIN			
Aluminium compression cable lugs and connectors to DIN		10 - 300	 Crimping dies A 22
Compression joints connections for Aldrey-conductors DIN EN 50182, Al-conductors DIN EN 50182, 120 - 185 mm ²		25 - 185	 Crimping dies AD 22
Compression joints DIN 48085, part 3 for aluminium/steel conductors DIN EN 50182, aluminium crimping		25 / 4 - 120 / 20	 Crimping dies AST 22
Compression joints DIN 48085, part 3 for aluminium/steel conductors DIN EN 50182, steel crimping		25/4 - 120/20	 Crimping dies ST 22
Aluminium/copper compression cable lugs and connectors			
Aluminum side of aluminum/copper compression cable lugs and connectors: crimping dies A22, copper side of aluminum/copper compression cable lugs and connectors: crimping dies D22		10 - 300	 Presseinsätze A 22 und D 22

Suitable for	Connection material	Crimping range mm ²	Crimp profile
Clamps			
Clamps, C-type		4 - 50	 Crimping dies C 22 / MC 22
Clamps, H-type		70	 Crimping dies H 22
Cable end-sleeves			
Cable end-sleeves		10 - 240	 Crimping dies AE 22
Twin cable end-sleeves		2 x 4 - 2 x 16	 Crimping dies ZAE 22
Cable end-sleeves, trapezoidal, for fine stranded conductors		10 - 240	 Crimping dies AES 22
Twin cable end-sleeves for fine stranded conductors		2 x 4 - 2 x 16	 Crimping dies ZAES 22

Item	Part No.
 Steel carrying case	MK22

© 2013 Gustav Klauke GmbH, all rights reserved. Technical changes and errors reserved.

[Got it](#)

This website uses cookies to ensure you get the best experience on our website. [More info.](#)